



M 1903

ADJUST THE WIND GAUGE

M 1



ADJUST THE ELEVATING KNOB —



INSERT PENCIL POINT IN HOLES TO  
MOVE ELEVATION AND WIND GAUGES

**2**

**BULL'S-EYE**

Grasp this section  
with thumb and fore-  
finger and move  
bull's-eye into  
correct position

**SIGHTING DEVICE**

**IN SIGHTING AND AIMING, THERE'S  
NO SUCH THING AS ALMOST RIGHT**



**THE SIGHT PICTURE IS EITHER  
100% RIGHT OR IT IS 100% WRONG**

Accuracy is more important  
than speed ... *don't squeeze the  
trigger until the sights are right.*

**1**

**FRONT SIGHT**

Grasp this section  
with thumb and fore-  
finger and move  
front sight into  
correct position



## SIGHTING DEVICE


**IN SIGHTING AND AIMING, THERE'S  
NO SUCH THING AS ALMOST RIGHT**



**THIS IS THE REAR SIGHT**

**THE SIGHT PICTURE IS EITHER  
100% RIGHT OR IT IS 100% WRONG**

*Accuracy is more important  
than speed... don't squeeze the  
trigger until the sights are right.*





## SIGHTING DEVICE

**IN SIGHTING AND AIMING, THERE'S  
NO SUCH THING AS ALMOST RIGHT**



**THE SIGHT PICTURE IS EITHER  
100% RIGHT OR IT IS 100% WRONG**

*Accuracy is more important  
than speed ... don't squeeze the  
trigger until the sights are right.*

*... and move  
front sight into  
correct position*

